

Paged

fabric sample book



Paged



26

87

INARI


1ST PRICE GROUP



34



27



96



22



100





95




90



23



Manufacturer's complete offer





INARI

1ST PRICE GROUP

DAVIS FABRICS

INARI	composition 100% PP
	weight 260 g/m ²
	flame retardant EN1021-1
	Martindale test 49 000 rubs
	frictional resistance dry > 5 / wet > 5
	tear strength 114,6 N / 84,3 N
	ensile strength 1321 N / 1077 N
	light resistance >5
	special fabric properties -
	pilling resistance 4

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.

Paged



90

41

MALMO NEW

1ST PRICE GROUP



05



81



85



63



37



79



72




61



83



Manufacturer's complete offer





MALMO NEW

1ST PRICE GROUP

DAVIS FABRICS

MALMO NEW

composition
100% PES

weight
220 g/m²

flame retardant
EN 1021/1

Martindale test
30 000 rubs

frictional resistance
dry > 5 / wet > 4-5

ear strength
99,8 N / 100,4 N

tensile strength
1375 N / 1216 N

light resistance
4-5


special fabric properties
-

pilling resistance
5

Paged



83



63

FANCY


1ST PRICE GROUP



39



37




11




20




90



96




97



99



Manufacturer's complete offer





FANCY

1ST PRICE GROUP



WATER REPELLENT

DAVIS FABRICS

FANCY

composition
100% PES

weight
260 g/m²

flame retardant
EN 1021/1

Martindale test
>100 000 rubs

frictional resistance
dry > 5 / wet > 4-5

tear strength
59,4 N / 87,0 N


tensile strength
553 N / 507N

light resistance
3-4

special fabric properties
SMART BY DAVIS

pilling resistance
5

Paged




96

ETNA

1ST PRICE GROUP



24



38

37




85

95



Manufacturer's complete offer



Paged



ETNA

1ST PRICE GROUP

DAVIS

FABRICS

ETNA

composition
100% PES

weight
330 g/m²

flame retardant
EN 1021/1

Martindale test
> 83 000 rubs

frictional resistance
dry > 5 / wet > 5

tear strength
154,2 N / 112,3N

tensile strength
1902 N / 1513 N

light resistance
5

pecial fabric properties
-

pilling resistance
4

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged

Paged



18



07 ORANGE

MILTON NEW

1ST PRICE GROUP



13 NAVY BLUE



22



21



09 AUBERGINE



12 TURQUOISE




11 YELLOW



01 LIGHT BEIGE



06 CHOCOLATE



16 BLACK



Peľna paleta producenta



Paged



MILTON NEW

1ST PRICE GROUP



IMPROVED LIQUID ABSORPTION



FIRE RESISTANT

FARGOTEX[®]
GROUP

MILTON NEW

composition
97% PES, 3% NY

weight
300 g/m²

flame retardant
BS 5852: Part 1: 1979, Ignition source 0
(Cigarette)

Martindale test
90 000 rubs

frictional resistance
dry 4-5 / wet > 4

tear strength
160 N / 49 N

tensile strength
1000 N / 840 N

ight resistance
4

special fabric properties
MAGIC HOME

pilling resistance
5

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged



02 CREME



14 MINT

VIENNA


1ST PRICE GROUP




05 TAUPE




01 WHITE



15 PLATINUM




04 CAPPUCINO



16 GRAPHIT




08 BROWN



17 BLACK



Manufacturer's complete offer





VIENNA

1ST PRICE GROUP



EASY WATER CLEANING



IMPROVED LIQUID ABSORPTION



FIRE RESISTANT

FARGOTEX[®]
GROUP

VIENNA

composition
65% PU, 21% PES, 14% CO

weight
480 g/m² ± 10 g/m²

flame retardant
CIGARETTE TEST-PN-EN 1021-1:2014-12

Martindale test
> 50 000 rubs

frictional resistance
dry > 4 / wet > 4

tearstrength
warp > 25 N / weft > 25 N

tensile strengt
warp > 350 N / weft > 350 N

light resistance
> 4

special fabric properties
MAGIC HOME

pilling resistance
-




ARTIFICIAL LEATHER

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged



01

15

ZOYA

1ST PRICE GROUP



12



03



13



07



14



04




06




05



02



Manufacturer's complete offer





ZOYA

1ST PRICE GROUP



EASY WATER CLEANING



FIRE RESISTANT



ANIMAL FRIENDLY

FARGOTEX[®]
GROUP

ZOYA

composition
100% PES

weight
390 g/m²

flameretardant
BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test
50 000

frictional resistance
4 / 4

tear strength
44 N / 63 N

tensile strength
691 N / 580 N

light resistance
4 / 5


easy cleaning

pilling resistance
4

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged



03

13

STRONG

2ND PRICE GROUP



05



04



06



08



07



15




09



10



11



Peña paleta producenta / Manufacturer's complete offer



Paged



STRONG


2ND PRICE GROUP



EASY WATER CLEANING



FIRE RESISTANT



VIRUS PROTECT



ANIMAL FRIENDLY

FARGOTEX[®]
GROUP

STRONG

composition
100% PES

weight
381 g/m²

flame **retardant**
BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test
50 000

frictional resistance
4 / 3/4

tear strength
89 N / 59 N

tensile strength
816 N / 504 N

light resistance
5

hydrophobicity

easy cleaning

pilling resistance
4/5

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged

Paged



311

65



MYSTIC

2ND PRICE GROUP



250



252



114



21



313



15



503




395



510

Manufacturer's complete offer



Paged



MYSTIC

2ND PRICE GROUP

aqua
clean[®]
TECHNOLOGY

MYSTIC

composition
100% PES

weight
450 g/m²

flame retardant
-

Martindale test
> 200.000 rubs

tensile strength
600 N / 600 N

light resistance
4-5

special fabric properties
AQUA CLEAN
SAFE FRONT

pilling resistance
5

*Color differences between
individual production
batches are allowed.*

Ed. 6/2023

*The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.*

Paged

Paged



DAYTONA

2ND PRICE GROUP



DAYTONA

composition
51% PES, 38% AC, 11% PA

weight
395 g/m²

flame retardant EN 1021 1-2
BS 5852 0-1
IMO

scratch resistance
> 20 N / > 3 daN

Martindale test
> 200.000 rubs

tensile strength
> 350N


light resistance
6

special fabric properties
AQUA CLEAN EXTREME
SAFE FRONT
PET FRIENDLY

pilling resistance
5

Color differences between
individual production
batches are allowed.

Paged




115

901

NORDIC

2ND PRICE GROUP



108



117



125



118



129



111



907




128



121



Manufacturer's complete offer



Paged



NORDIC

2ND PRICE GROUP

aqua
clean[®]
TECHNOLOGY

NORDIC

composition
50% PES, 35% ACRIL, 15% PA

weight
410 g/m²

flame retardant
EN 1021 1-2, BS5852 0-1, IMO

scratch resistance
> 20 N / > 3 daN

Martindale test
100 000 rubs

tear strength
20 N (BS 4303)>3

tensile strength
350

light resistance
6

special fabric properties
AQUA CLEAN EXTREME
SAFE FRONT
PET FRIENDLY

pilling resistance
5

Color differences between
individual production
batches are allowed.

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged

Paged



8

12

GIOVE

2ND PRICE GROUP



4



2



6



16



9




18




20




25



27



Manufacturer's complete offer



Paged



GIOVE

2. GRUPA CENOWA • 2ND PRICE GROUP



TKANINA ŁATWOCZYSZCZĄCA
EASY CLEAN FABRIC

italsenso
D.O.G.

GIOVE

skład / composition
100% PL

waga / weight
385 g/m²

normy przeciwpożarowe / flame retardant
EN 1021/1

test Martindale'a / Martindale test
100 000 cykli / rubs

odporność na tarcie / frictional resistance
na sucho/dry > 4-5 / na mokro/wet > 4

wytrzymałość na rozdarcie / tear strength
-


wytrzymałość na rozciąganie / tensile strength
-

odporność na światło / light resistance
4/5

**specjalne właściwości tkaniny
/ special fabric properties**
ZERO SPOT SYSTEM

pilling / pilling resistance
4/5

Paged



14

15

CACTUS

2. GRUPA CENOWA • 2ND PRICE GROUP



7



8



9



11



12



3



22




4



16



Manufacturer's complete offer



Paged



CACTUS

2ND PRICE GROUP



EASY CLEAN FABRIC

ital**senso**
D.O.G.

CACTUS

composition
100% PL

weight
450 g/m²

flame retardant
EN 1021/1

Martindale test
100 000 rubs

frictional resistance
dry > 4 / wet > 3-4

tear strength
-

tensile strength
-

light resistance
4

special fabric properties
ZERO SPOT SYSTEM


pilling resistance
4/5

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.


Paged

Paged



81

68



BELLAGIO

3RD PRICE GROUP



324



451



503



213



300



271



62




28



105



Manufacturer's complete offer



Paged



BELLAGIO

3RD PRICE GROUP

aqua
clean[®]
TECHNOLOGY

BELLAGIO

composition
100% PES

weight
404,06 g/m²

flame retardant
-

Martindale test
>100.000 rubs

frictional resistance
-

tear strength
-

tensile strength
1310 N / 1356 N

light resistance
-

special fabric properties
AQUA CLEAN

SAFE FRONT

pilling resistance
5

Color differences between
individual production
batches are allowed.

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged

Paged



04 PEWTER



45 MIST



WEŁNA / WOOL

3RD PRICE GROUP



48 STORM



34 VINO



41 SORBET



17 BISCUIT



43 BASIL



08 CHINCHILLA



58 AUTUMN



63 MUSTARD



49 ICICLE


Manufacturer's complete offer





WOOL

3RD PRICE GROUP



MANUFACTURED WITH RECYCLED
YARN

DEKOMA®

WOOL

composition 70% WO
25% PA 5% AF

weight
327 g/m²

flame retardant EN 1021/1, EN 1021/2, BS
5852 0, BS 5852 1

Martindale test
100 000 cykli / rubs

frictional resistance
na sucho/dry > 5 / na mokro/wet > 4-5

tear strength
43 N / 28.9 N

tensile strength
511 N / 301 N

light resistance
4-5


special fabric properties
-

pilling / pilling resistance
5

Ed. 6/2023


The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged




11

15



GIRASOLE

3RD PRICE GROUP



13



10



7



9



3



8



14




5



4



Manufacturer's complete offer



Paged



GIRASOLE

3RD PRICE GROUP



FABRIC WITH DIFFICULT LIQUID ABSORPTION

ital**senso**
D.O.G.

GIRASOLE

composition
100% CO

weight
695 g/m²

flame retardant
-

Martindale test
40 000

frictional resistance
dry > 4-5 / wet > 4-5

light resistance
4/5

special fabric properties
LIQUID PROTECTION SYSTEM

pilling resistance
4/5

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.

Paged

Paged



CHOCOLATE 01



MIRABELLE 21



GINKGO


4TH PRICE GROUP



ANTHRACITE 02



PIERRE 50



BLANC 19



SEIGLE 27




CAFE 49



MASTIC 13



CITROUILLE 15



DUNE 23



MORGAN 16



Manufacturer's complete offer





GINKGO

4TH PRICE GROUP



SANITIZED CERTIFICATE
(CAN BE USED IN MEDICAL FACILITIES)



PHthalate-FREE FABRIC



IMO CERTIFICATE
(CAN BE USED ON YACHTS)

DEKOMA®

GINKGO

composition
85 % PVC, 15 % CO

weight
830 g/m²

flame retardant
M1 (NFP 92503), AM 18, BS 5852 crib 5,
B5 (DIN 4102), EN 1021.1-2-3, EN 13501-1
IMO A652, JAR 25 / FAR 25.853, CATB 117

Martindale test
150 000 rubs

frictional resistance
dry > 4 / wet > 4-5

light resistance
> 6

special fabric properties
-

pilling resistance
-



ARTIFICIAL LEATHER


Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.



Paged



ANTRACITE



CREAM



HERMES *NATURAL LEATHER*


4TH PRICE GROUP



PURE WHITE



SAND



MOCCA



CHOCO



BIANCO



IVORY



DJERBA



BRUIN



NERO





HERMES *NATURAL LEATHER*

4TH PRICE GROUP

HERMES	composition Corrected leather (Madras)
	thickness 0.9/1.1 mm
	hide size 4.8 - 5.3 m ²

Ed. 6/2023

The samples are provided as a guide only. Therefore an exact match can not be guaranteed.
The sample book is a representation of the fabric manufacturer's offer, and Paged Meble sp.z o.o. is not responsible for changes introduced in the offer by individual manufacturers.